


OVERVIEW

HUMBAUR

HORSE TRAILERS

EN - AS AT 02/2020 | 1





The information provided about towing vehicles and driving licences is for guidance only. Check the information on your registration papers before you buy. The illustrations in this brochure may also include special equipment that is not included in the standard scope of delivery. The special equipment shown comes at an additional cost. Contents correct at the time of printing, All information is provided without guarantee. We reserve the right to make changes to design and features.

Small car	Large car	Standard equipment
Medium car	Pick-up/transporter	O Available as an option
B ← B96 ← BE ← —	Minimum required driving licence	- Not available
B on B30 on B	/ William required driving licence	









MODEL NAME	EQUITOS PLYWOOD 2000	EQUITOS ALU 2000	EQUITOS PLYWOOD PLUS 2000	EQUITOS ALU PLUS 2000
Weight in kg	808	773	858	863
Load capacity in kg	1192	1227	1142	1137
Permissible gross weight in kg	2000	2000	2000	2000
Overall dimension in mm (LxWxH)	4604 x 2175 x 2780	4604 x 2175 x 2780	4604 x 2175 x 2780	4604 x 2175 x 2780
Internal dimension in mm (LxWxH)	3157 x 1654 x 2300	3157 x 1654 x 2300	3157 x 1654 x 2300	3157 x 1654 x 2300
Load height in mm	415	415	415	415
Tyres in inches	13	13	13	13
Braked	✓	√	✓	✓
Number of transportable animals	00	00	33	00
Towing vehicle				
Driving licence	B96 BE	B96 → BE →	B96 ➡➡ BE ➡➡	B96 BE
EquiDrive® Standard chassis	•	•	•	•
EquiDrive® Plus chassis	-	-	-	-
EquiDrive® Plus S with coil spring suspension	-	-	-	-
EquiSpace® concept	•	•	•	•
EquiGuard® Panic Release	-	-	-	-
Adjustable box rods (height and length)	0	0	•	•
AluBiComp floor	0	•	0	•
EquiLock® partition	0	0	•	•
Saddle compartment (standard)	0	0	•	•
Saddle compartment w. extendible saddle holder	-	-	-	-
Side kick plate	0	0	0	•
Side padding	0	0	0	0
Sliding windows	-	-	-	-
Panoramic window	-	-	-	-
Front exit	-	-	-	-
Colour selection from the colour card	-	-	-	-
GRP mudguard with LED lighting	-	-	-	-

INFORMATION: humbaur.com/en/horse-trailer-features









MODEL NAME	XANTHOS 2000	XANTHOS 2400	XANTHOS 2700	XANTHOS 2700 S
Weight in kg	822	830	834	884
Load capacity in kg	1178	1570	1866	1816
Permissible gross weight in kg	2000	2400	2700	2700
Overall dimension in mm (LxWxH)	4592 x 2235 x 2875	4592 x 2235 x 2875	4592 x 2235 x 2855	4592 x 2235 x 2855
Internal dimension in mm (LxWxH)	3157 x 1714 x 2364			
Load height in mm	445	445	445	445
Tyres in inches	15	15	15	15
Braked	✓	✓	√	✓
Number of transportable animals	00	00	00	00
Towing vehicle				
Driving licence	B96 BE	BE 🕽	BE 🚐 🖨	BE 🕽
EquiDrive® Standard chassis	•	•	-	-
EquiDrive® Plus chassis	-	-	•	-
EquiDrive® Plus S with coil spring suspension	-	-	-	•
EquiSpace® concept	•	•	•	•
EquiGuard® Panic Release	•	•	•	•
Adjustable box rods (height and length)	•	•	•	•
AluBiComp floor	•	•	•	•
EquiLock® partition	•	•	•	•
Saddle compartment (standard)	0	0	0	0
Saddle compartment w. extendible saddle holder	0	0	0	0
Side kick plate	•	•	•	•
Side padding	0	0	0	0
Sliding windows	-	-	-	-
Panoramic window	-	-	-	-
Front exit	-	-	-	-
Colour selection from the colour card	0	0	0	0
GRP mudguard with LED lighting	-	-	-	-

INFORMATION: humbaur.com/en/horse-trailer-features

The information provided about towing vehicles and driving licences is for guidance only. Check the information on your registration papers before you buy. The illustrations in this brochure may also include special equipment that is not included in the standard scope of delivery. The special equipment shown comes at an additional cost. Contents correct at the time of printing. All information is provided without guarantee. We reserve the right to make changes to design and features.

	Small car		Large car
	Medium car		Pick-up/transporter
B =	B96 ■	→ Min	nimum required driving licence

EN - As at 02/2020 | 1

 Standard equipment O Available as an option - Not available









MODEL NAME	XANTHOS AERO 2000	XANTHOS AERO 2400	XANTHOS AERO 2700	XANTHOS AERO 2700 S
Weight in kg	847	855	859	909
Load capacity in kg	1153	1545	1841	1791
Permissible gross weight in kg	2000	2400	2700	2700
Overall dimension in mm (LxWxH)	4592 x 2235 x 2875	4592 x 2235 x 2875	4592 x 2235 x 2855	4592 x 2235 x 2855
Internal dimension in mm (LxWxH)	3447 x 1714 x 2364			
Load height in mm	445	445	445	445
Tyres in inches	15	15	15	15
Braked	√	✓	√	
Number of transportable animals	00	33	33	00
Towing vehicle				
Driving licence	B96 ➡➡ BE ➡➡	BE 🕽 👄	BE 🚐	BE 🕽 👄
EquiDrive® Standard chassis	•	•	-	-
EquiDrive® Plus chassis	-	-	•	-
EquiDrive® Plus S with coil spring suspension	-	-	-	•
EquiSpace® concept	•	•	•	•
EquiGuard® Panic Release	•	•	•	•
Adjustable box rods (height and length)	•	•	•	•
AluBiComp floor	•	•	•	•
EquiLock® partition	•	•	•	•
Saddle compartment (standard)	•	•	•	•
Saddle compartment w. extendible saddle holder	0	0	0	0
Side kick plate	•	•	•	•
Side padding	0	0	0	0
Sliding windows	-	-	-	-
Panoramic window	-	-	-	-
Front exit	-	-	-	-
Colour selection from the colour card	0	0	0	0
GRP mudguard with LED lighting	-	-	-	-

INFORMATION: humbaur.com/en/horse-trailer-features







	0	o o	0
MODEL NAME	NOTOS ALU 2400	NOTOS ALU 2700	NOTOS ALU 2700 S
Weight in kg	900	932	1065
Load capacity in kg	1500	1768	1635
Permissible gross weight in kg	2400	2700	2700
Overall dimension in mm (LxWxH)	4738 x 2230 x 2770	4738 x 2230 x 2790	4765 x 2230 x 2790
Internal dimension in mm (LxWxH)	3418 x 1713 x 2298	3418 x 1713 x 2298	3418 x 1713 x 2298
Load height in mm	435	455	450
Tyres in inches	14	15	15
Braked	✓	✓	✓
Number of transportable animals	33	00	00
Towing vehicle			
Driving licence	BE 👄	BE 🕽	BE 🕽
EquiDrive® Standard chassis	•	-	-
EquiDrive® Plus chassis	-	•	-
EquiDrive® Plus S with coil spring suspension	-	-	•
EquiSpace® concept	•	•	•
EquiGuard® Panic Release	•	•	•
Adjustable box rods (height and length)	•	•	•
AluBiComp floor	•	•	•
EquiLock® partition	•	•	•
Saddle compartment (standard)	0	0	0
Saddle compartment w. extendible saddle holder	0	0	0
Side kick plate	•	•	•
Side padding	0	0	0
Sliding windows	0	0	0
Panoramic window	-	-	-
Front exit	0	0	0
Colour selection from the colour card	0	0	0
GRP mudguard with LED lighting	-	-	-
INFORMATION:			

INFORMATION: humbaur.com/en/horse-trailer-features

The information provided about towing vehicles and driving licences is for guidance only. Check the information on your registration papers before you buy. The illustrations in this brochure may also include special equipment that is not included in the standard scope of delivery. The special equipment shown comes at an additional cost. Contents correct at the time of printing. All information is provided without guarantee. We reserve the right to make changes to design and features.

Small car	Large car
Medium car	Pick-up/transporter
B ← B96 ← BE ← -	Minimum required driving licence

 Standard equipment O Available as an option

- Not available







MODEL NAME	NOTOS PLUS 3000	NOTOS PLUS 3500	NOTOS TRIA 3500
Weight in kg	1380	1405	1680
Load capacity in kg	1620	2095	1820
Permissible gross weight in kg	3000	3500	3500
Overall dimension in mm (LxWxH)	5666 x 2355 x 2894	5692 x 2355 x 2894	6140 x 2490 x 2900
nternal dimension in mm (LxWxH)	4220 x 1860 x 2353	4220 x 1860 x 2353	4700 x 2000 x 2400
oad height in mm	440	440	430
Tyres in inches	14	14	14
Braked	✓	√	✓
Number of transportable animals	00	00	000
Towing vehicle			
Driving licence	BE 🕽 🕽	BE 🕽	BE -
quiDrive® Standard chassis	-	-	-
equiDrive® Plus chassis	-	-	-
EquiDrive® Plus S with coil spring suspension	•	•	•
EquiSpace® concept	•	•	-
EquiGuard® Panic Release	•	•	-
Adjustable box rods (height and length)	•	•	•
AluBiComp floor	•	•	•
EquiLock® partition	•	•	-
addle compartment (standard)	•	•	•
Saddle compartment w. extendible saddle holder	-	-	-
iide kick plate	•	•	•
iide padding	0	0	0
Sliding windows	•	•	•
Panoramic window	-	-	-
ront exit	-	-	0
Colour selection from the colour card	0	0	0
GRP mudguard with LED lighting	-	-	-
NFORMATION: numbaur.com/en/horse-trailer-features			

. . .



MODEL NAME	NOTOS XTRA UP 2700	NOTOS XTRA PRO 2700
Weight in kg	1234	1231
Load capacity in kg	1466	1469
Permissible gross weight in kg	2700	2700
Overall dimension in mm (LxWxH)	5460 x 2240 x 2890	5460 x 2240 x 2890
Internal dimension in mm (LxWxH)	4132 x 1714 x 2400	4132 x 1714 x 2400
Load height in mm	430	430
Tyres in inches	15	15
Braked	✓	✓
Number of transportable animals	00	33
Towing vehicle		
Driving licence	BE 🕽	BE 🕽 🖘
EquiDrive® Standard chassis	-	_
EquiDrive® Plus chassis	-	_
EquiDrive® Plus S with coil spring suspension	•	•
EquiSpace® concept	•	•
EquiGuard® Panic Release	•	•
Adjustable box rods (height and length)	•	•
AluBiComp floor	•	•
EquiLock® partition	•	•
Saddle compartment (standard)	-	_
Saddle compartment w. extendible saddle holder	•	•
Side kick plate	•	•
Side padding	0	0
Sliding windows	•	•
Panoramic window	-	_
Front exit	-	0
Colour selection from the colour card	•	•
GRP mudguard with LED lighting	-	-
INFORMATION: humbaur.com/en/horse-trailer-features		

The information provided about towing vehicles and driving licences is for guidance only. Check the information on your registration papers before you buy. The illustrations in this brochure may also include special equipment that is not included in the standard scope of delivery. The special equipment shown comes at an additional cost. Contents correct at the time of printing. All information is provided without guarantee. We reserve the right to make changes to design and features.

Small car
Medium car

Begin Be

Standard equipmentO Available as an option

Not available











MODEL NAME	ZEPHIR 2000	ZEPHIR 2400	ZEPHIR 2700	ZEPHIR 2700 S
Weight in kg	900	907	911	961
Load capacity in kg	1100	1493	1789	1739
Permissible gross weight in kg	2000	2400	2700	2700
Overall dimension in mm (LxWxH)	4592 x 2235 x 2875	4592 x 2235 x 2875	4592 x 2235 x 2855	4592 x 2235 x 2855
Internal dimension in mm (LxWxH)	3157 x 1714 x 2364			
Load height in mm	445	425	425	425
Tyres in inches	15	15	15	15
Braked	✓	✓	✓	√
Number of transportable animals	00	00	33	00
Towing vehicle				
Driving licence	B96 - BE -	BE 👄	BE 🛁	BE 🕽 👄
EquiDrive® Standard chassis	•	•	-	-
EquiDrive® Plus chassis	-	-	•	•
EquiDrive® Plus S with coil spring suspension	-	-	-	•
EquiSpace® concept	•	•	•	•
EquiGuard® Panic Release	•	•	•	•
Adjustable box rods (height and length)	•	•	•	•
AluBiComp floor	•	•	•	•
EquiLock® partition	•	•	•	•
Saddle compartment (standard)	•	•	•	•
Saddle compartment w. extendible saddle holder	0	0	0	0
Side kick plate	0	0	0	0
Side padding	0	0	0	0
Sliding windows	-	-	-	-
Panoramic window	-	-	-	-
Front exit	-	-	-	-
Colour selection from the colour card	0	0	0	0
GRP mudguard with LED lighting	-	-	-	-

INFORMATION: humbaur.com/en/horse-trailer-features









MODEL NAME	ZEPHIR AERO 2000	ZEPHIR AERO 2400	ZEPHIR AERO 2700	ZEPHIR AERO 2700 S
Weight in kg	914	922	926	976
Load capacity in kg	1086	1478	1774	1724
Permissible gross weight in kg	2000	2400	2700	2700
Overall dimension in mm (LxWxH)	4592 x 2235 x 2875	4592 x 2235 x 2875	4592 x 2235 x 2855	4592 x 2235 x 2855
Internal dimension in mm (LxWxH)	3447 x 1714 x 2364			
Load height in mm	425	445	425	425
Tyres in inches	15	15	15	15
Braked	✓	✓	√	✓
Number of transportable animals	00	00	00	00
Towing vehicle				
Driving licence	B96 → ■ ■ BE → ■	BE 🚟 👄	BE 🕽	BE 🕽 👄
EquiDrive® Standard chassis	•	•	-	-
EquiDrive® Plus chassis	_	-	•	-
EquiDrive® Plus S with coil spring suspension	-	-	-	•
EquiSpace® concept	•	•	•	•
EquiGuard® Panic Release	•	•	•	•
Adjustable box rods (height and length)	•	•	•	•
AluBiComp floor	•	•	•	•
EquiLock® partition	•	•	•	•
Saddle compartment (standard)	•	•	•	•
Saddle compartment w. extendible saddle holder	0	0	0	0
Side kick plate	0	0	0	0
Side padding	0	0	0	0
Sliding windows	-	-	-	-
Panoramic window	-	-	-	-
Front exit	-	-	-	_
Colour selection from the colour card	0	0	0	0
GRP mudguard with LED lighting	_	-	_	-

The information provided about towing vehicles and driving licences is for guidance only. Check the information on your registration papers before you buy. The illustrations in this brochure may also include special equipment that is not included in the standard scope of delivery. The special equipment shown comes at an additional cost. Contents correct at the time of printing. All information is provided without guarantee. We reserve the right to make changes to design and features.

Small car Medium car B ← B96 ← BE ←

Large car Pick-up/transporter ightarrow Minimum required driving licence

 Standard equipment O Available as an option Not available

MODEL NAME	MAXIMUS 2700	MAXIMUS 2700 S	MAXIMUS DELUXE 2700 S
Weight in kg	1040	1050	1115
Load capacity in kg	1660	1650	1585
Permissible gross weight in kg	2700	2700	2700
Overall dimension in mm (LxWxH)	4880 x 2300 x 2930	4880 x 2360 x 2930	4880 x 2360 x 2930
Internal dimension in mm (LxWxH)	3560 x 1800 x 2350	3560 x 1800 x 2350	3560 x 1800 x 2350
Load height in mm	470	460	460
Tyres in inches	15	15	15
Braked	✓	√	√
Number of transportable animals	00	00	
Towing vehicle			
Driving licence	BE 🕽 🕽	BE 🕽	BE 🕽 👄
EquiDrive® Standard chassis	-	-	-
EquiDrive® Plus chassis	•	-	-
EquiDrive® Plus S with coil spring suspension	0	•	•
EquiSpace® concept	•	•	•
EquiGuard® Panic Release	•	•	•
Adjustable box rods (height and length)	•	•	•
AluBiComp floor	•	•	•
EquiLock® partition	•	•	•
Saddle compartment (standard)	-	-	-
Saddle compartment w. extendible saddle holder	•	•	•
Side kick plate	•	•	•
Side padding	•	•	•
Sliding windows	-	-	-
Panoramic window	0	0	•
Front exit	-	-	-
Colour selection from the colour card	•	•	•
GRP mudguard with LED lighting	0	0	•
INFORMATION: humbaur.com/en/horse-trailer-features			





INTUITIVE **OPERATION WITH NO NEED FOR TOOLS** Quick to open The EquiGuard® can be opened quickly and easily with a single hand movement, even from the inside. So you can react in an emergency situation without delay. Easy to close The breast bar and breach bar can be easily clicked into place in seconds.

Standard equipment

O Available as an option Not available

INFORMATION: humbaur.com/en/horse-trailer-features

The information provided about towing wehicles and driving licences is for guidance only. Check the information on your registration papers before you buy. The illustrations in this brochure may also include special equipment that is not included in the standard scope of delivery. The special equipment shown comes at an additional cost. Contents correct at the time of printing. All information is provided without guarantee. We reserve the right to make changes to design and features.







MODEL NAME	XANTHOS CARRIAGE 2600	XANTHOS CARRIAGE 3000
Weight in kg	1022	1052
Load capacity in kg	1578	1948
Permissible gross weight in kg	2600	3000
Overall dimension in mm (LxWxH)	5955 x 2235 x 2935	5955 x 2235 x 2920
Internal dimension in mm (LxWxH)	3157 x 1714 x 2364	3157 x 1714 x 2364
Load height in mm	510	500
Tyres in inches	15	14
Braked	√	✓
Number of transportable animals	00	00
Towing vehicle		
Driving licence	BE 👄	BE 🕽 👄
EquiDrive® Standard chassis	•	•
EquiDrive® Plus chassis	-	-
EquiDrive® Plus S with coil spring suspension	-	-
EquiSpace® concept	•	•
EquiGuard® Panic Release	•	•
Adjustable box rods (height and length)	•	•
AluBiComp floor	•	•
EquiLock® partition	•	•
Saddle compartment (standard)	0	0
Saddle compartment w. extendible saddle holder	0	0
Side kick plate	•	•
Side padding	0	0
Sliding windows	-	-
Panoramic window	-	-
Front exit	-	-
Colour selection from the colour card	0	0
GRP mudguard with LED lighting	-	_

INFORMATION: humbaur.com/en/horse-trailer-features






MODEL NAME	ZEPHIR CARRIAGE 2600	ZEPHIR CARRIAGE 3000	
Weight in kg	1084	1114	
Load capacity in kg	1516	1888	
Permissible gross weight in kg	2600	3000	
Overall dimension in mm (LxWxH)	5955 x 2235 x 2935	5955 x 2235 x 2920	
Internal dimension in mm (LxWxH)	3157 x 1714 x 2364	3157 x 1714 x 2364	
Load height in mm	510	500	
Tyres in inches	15	14	
Braked	√	✓	
Number of transportable animals	00	00	
Towing vehicle			
Driving licence	BE 🕽	BE 🕽 🖨	
EquiDrive® Standard chassis	•	•	
EquiDrive® Plus chassis	-	-	
EquiDrive® Plus S with coil spring suspension	-	-	
EquiSpace® concept	•	•	
EquiGuard® Panic Release	•	•	
Adjustable box rods (height and length)	•	•	
AluBiComp floor	•	•	
EquiLock® partition	•	•	
Saddle compartment (standard)	•	•	
Saddle compartment w. extendible saddle holder	0	0	
Side kick plate	0	0	
Side padding	0	0	
Sliding windows	-	-	
Panoramic window	-	-	
Front exit	-	-	
Colour selection from the colour card	0	0	
GRP mudguard with LED lighting	-	-	
INFORMATION:			

INFORMATION: humbaur.com/en/horse-trailer-features

The information provided about towing wehicles and driving licences is for guidance only. Check the information on your registration papers before you buy. The illustrations in this brochure may also include special equipment that is not included in the standard scope of delivery. The special equipment shown comes at an additional cost. Contents correct at the time of printing. All information is provided without guarantee. We reserve the right to make changes to design and features.

	Small car		Large car
000	Medium car		Pick-up/transporter
R R96 RF RF		→ Min	nimum required driving licence

 Standard equipment O Available as an option - Not available





More information is available online at

humbaur.com/en/downloads

Do you have any questions about this or any other trailer from our range or would you like a personal consultation? We look forward to hearing from you.

 Phone:
 +49 821 24929 - 0

 Monday to Thursday
 8.00 am - 5.00 pm

 Friday
 8.00 am - 3.00 pm

 Email:
 info@humbaur.com

8 EN – As at 02/2020 | 1

^{*} Illustrations are similar. Products and services and the availability of these products and services are subject to change at any time and are subject to our general terms and conditions of delivery and payment. Only valid for Germany. Subject to change without notice.

Errors excepted. All information is provided without guarantee Images: Humbaur GmbH, fotolia.de, Adobe Stock / Article 009.00134 / As at 02/20